



PHOTOVOLTAIC FUSE

PRODUCT SELECTION GUIDE



BFPV-1038

Product Parameters

BFPV-1038	2A-32A	1000V DC
BFPV-1038D	2A-32A	1000V DC
BFPV-1038S	2A-32A	1000V DC

Photovoltaic Fuse

Fuse Size:10X38mm


Class of Operation: gPV

Standard: GB/T 13539.6
IEC 60269-6


Breaking Capacity: 20kA

Dimensions-mm


BFPV-1038D



BFPV-1038



BFPV-1038S



BFPV-32

Product Parameters

BFPV-32	1000VDC(10X38)
BFPV-32X	1000VDC(10X38)

Photovoltaic Fuse


Rated Voltage: 1000VDC

Class of Operation: gPV

Standard: GB/T 13539.6
IEC 60947-3

Dimensions-mm

BFPV-32X





BFPV-1065

Product Parameters

BFPV-1065 2A-32A 1500V DC

Photovoltaic Fuse

Fuse Size:10X65mm

Class of Operation: gPV


Standard: GB/T 13539.6

IEC 60269-6

Breaking Capacity: 20kA

Dimensions-mm

BFPV-1065



BFPV-1065D

Product Parameters rameters

BFPV-1065D 1500V DC (10X65)

Photovoltaic Fuse

Rated Voltage : 1500VDC


Class of Operation: gPV

Standard: GB/T 13539.6

IEC 60947-3

Dimensions-mm

BFPV-1065D





BFPV-1085/1485

Product Parameters

BFPV-1085	2A-32A	1500V DC
BFPV-1085S	2A-32A	1500V DC
BFPV-1485	30A-50A	1500V DC

Photovoltaic Fuse

Fuse Size:10X85/14X85mm

Class of Operation: gPV

Standard: GB/T 13539.6

IEC 60269-6


Breaking Capacity: 20kA

Dimensions-mm


BFPV-1085



BFPV-1085S



BFPV-1485



BFPV-65L

Product Parameters

BFPV-65L	1500V DC (10X85/14X85)
----------	------------------------

Photovoltaic Fuse

Rated Voltage : 1500VDC


Class of Operation: gPV

Standard: GB/T 13539.6

IEC 60947-3

Dimensions-mm

BFPV-65L





BFPV-1451/2258

Product Parameters


BFPV-1451	15A-63A	1000V DC
BFPV-2258	25A-100A	1000V DC

Photovoltaic Fuse


Fuse Size:14X51/22X58mm
Class of Operation: gPV
Standard: GB/T 13539.6
IEC 60269-6
Breaking Capacity: 20kA

Dimensions-mm

BFPV-1451



BFPV-2258



BFPV-63/125

Product Parameters rameters


BFPV-63	1000V DC (14X51)
BFPV-125	1000V DC (22X58)

Photovoltaic Fuse


Rated Voltage : 1000VDC
Class of Operation: gPV
Standard: GB/T 13539.6
IEC 60947-3

Dimensions-mm

BFPV-63



BFPV-125





BFPV-H series

Product Parameters

BFPV-H00	32A - 100A	1000 VDC
BFPV-H1	125A - 160A	1000 VDC
BFPV-H2	160A - 250A	1000 VDC
BFPV-H3	300A - 400A	1000 VDC

Photovoltaic Fuse

Class of Operation: gPV



Standard: GB/T 13539.6

IEC 60269-6



Breaking Capacity: 50kA

Dimensions-mm



BFH-00





BFH-1



BFH-2



BFH-3





BFHB series

Product Parameters

BFHB-00	100A	1000V DC
BFHB-1	160A	1000V DC
BFHB-2	250A	1000V DC
BFHB-3	400A	1000V DC

Photovoltaic Fuse

Class of Operation: gPV


Standard: GB/T 13539.6

IEC 60269-6


Breaking Capacity: 20kA

Dimensions-mm


BFHB-00




BFHB-1



BFHB-2



BFHB-3





YUEQING BARFUSE ELECTRIC CO.,LTD

No.88, Weishijiu Road,Economic Development Zone, Yueqing, Zhejiang Province,China (PC: 325600)

Tel: 0086 577 61666659 Fax: 0086 577 61666650 Email: sales@barfuses.com www.barfuses.com